


**Radiated Emission Measurement**

File :RE0329 Data :#1 Date: 2016/03/29 Time: PM 05:06:47



Site NTEK 9\*6\*6 Chamber #1

Polarization: **Vertical**

Temperature: 24

Limit: ETSI\_300328\_operating\_03M\_PK

Power: AC 230V/50Hz

Humidity: 50 %

EUT: 模块

Distance: 3m

M/N: RF4463PRO-433

Mode: WORKING

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		147.9214	-89.07	11.53	-77.54	-36.00	-41.54	peak		
2	*	434.0650	-30.99	15.21	-15.78	-36.00	20.22	peak		
3		869.1302	-88.85	23.63	-65.22	-36.00	-29.22	peak		

\*:Maximum data x:Over limit !:over margin


**Radiated Emission Measurement**

File :RE0329

Data :#2

Date: 2016/03/29

Time: PM 05:08:19



Site NTEK 9\*6\*6 Chamber #1

Polarization: **Horizontal**

Temperature: 24

Limit: ETSI\_300328\_operating\_03M\_PK

Power: AC 230V/50Hz

Humidity: 50 %

EUT: 模块

Distance: 3m

M/N: RF4463PRO-433

Mode: WORKING

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	434.0651	-30.02	15.21	-14.81	-36.00	21.19	peak		
2		869.1302	-82.97	23.63	-59.34	-36.00	-23.34	peak		
3		309.9977	-86.80	13.01	-73.79	-36.00	-37.79	peak		

\*:Maximum data    x:Over limit    !:over margin

**Radiated Emission Measurement**


File :RE0329

Data :#17

Date: 2016/03/29

Time: PM 05:48:29

-20.0 dBm



Site NTEK 9\*6\*6 Chamber #1

Polarization: **Vertical**

Temperature: 24

Limit: ETSI\_300328\_operating\_03M\_PK

Power: AC 230V/50Hz

Humidity: 50 %

EUT: 模块

Distance: 3m

M/N: RF4463PRO-433

Mode: WORKING

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	3026.875	-46.22	7.96	-38.26	-30.00	-8.26	peak		
2		3467.500	-61.28	8.61	-52.67	-30.00	-22.67	peak		
3		3908.125	-63.30	7.74	-55.56	-30.00	-25.56	peak		

\*:Maximum data    x:Over limit    !:over margin

**Radiated Emission Measurement**


File :RE0329

Data :#18

Date: 2016/03/29

Time: PM 05:50:04

-20.0 dBm



Site NTEK 9\*6\*6 Chamber #1

Polarization: **Horizontal**

Temperature: 24

Limit: ETSI\_300328\_operating\_03M\_PK

Power: AC 230V/50Hz

Humidity: 50 %

EUT: 模块

Distance: 3m

M/N: RF4463PRO-433

Mode: WORKING

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	3026.875	-52.61	7.61	-45.00	-30.00	-15.00	peak		
2		4348.750	-61.29	7.37	-53.92	-30.00	-23.92	peak		

\*:Maximum data    x:Over limit    !:over margin